

The BIDET SHOP[®]



Bidet pipe & Filter holder

T-piece & Washer

Dual check

Push Clip

Remote & Wall holder

Seat bolt spinner

MF Filter

Batteries

(x2) Bolt
(x2) Rubbers

(x2) Washers
(x2) Nuts

Screws

Fixing
sliders (x2)

Installation plate



IMPORTANT INFORMATION
TO CONFORM TO AUSTRALIAN STANDARDS:
This douche seat is supplied with a device complying with AS/NZS 4820. Prevention is required for common backflow.
This non-return valve/backflow prevention must be fitted to the custom tap before the T-piece.
The water flow to the bidet can be opened or closed at the T-piece.

Installation manual & Important information

First, place out all parts.



1

Remove current seat and lid.
Remove pipe from tap fitting.



2

Put on dual check/back flow valve.



3

Put on T-piece.

To avoid damaging the T-piece be careful to hold the top of the T-piece with a spanner when tightening.



4

Screw on flexible hose.




5

Push on filter holder. Secure filter holder with clip provided. Two are supplied, one is for spare.



Insert filter and twist clockwise.
Insert bidet hose.



Place installation plate on toilet, place bolts through
fixing sliders into toilet seat fixing holes.



Screw on rubbers, washers and nuts.



Place Bidet onto toilet and push backwards onto
installation plate.



Push back until Bidet clicks into place.




Push Bidet pipe into hole on left hand side of Bidet.

12



Place batteries inside remote control.

13



Peel backing off remote holder, stick onto wall at eye level.

14



Turn on water check for leaks with a piece of toilet paper. Tightened joints if required.

15



Plug into power. Test Bidet by sitting on toilet and press the wash button.

Please be aware that local plumbing regulations may apply.

Trouble Shooting

1. Water is coming out of the fitting where the white pipe pushes in.

Answer: You did not push in the pipe hard enough.

2. The nozzle extends but water will not come out.

Answer: Check the lever on the T-Piece is in a horizontal position.

Please call the helpdesk on 1800 243 387 or 07 5591 7744 and we will be able to solve any problem for you.

If you are a contractor doing this install for The BIDET SHOP®, you must ring on completion of job and have client fill out evaluation form.