### **RHS Description**

Are you looking for a bidet that is versatile enough to suit any disability, visual impairment or cognitive function? Look no further! The Coway BA08 has many additional features that ensure the user is comfortable and stays independent in their toileting needs. This amazing product has a unique remote function that allows the user to simply press one button for the BA08 to wash and dry exactly the same way every time without needing to change additional settings. We also offer additional accessories for this bidet (such as the Tamper Proof Holder and a large 3-Way Control) that enhance this experience and help preserve dignity and independence.

The Coway BA08 has been officially weight tested with a SWL of 200kg.

### **Product Description**

Coway is the number one Bidet manufacturer in South Korea with a long history and experience in toilet hygiene and water purification. Coway is an environmentally conscious and sustainable company that prides themselves on producing the highest quality of products. They have won many awards for their exquisite product designs and environmentally friendly manufacturing processes.

This amazing, fully functioned and versatile bidet works perfectly for the entire family. It is the ultimate personal health and hygiene solution, highly recommended due to its incredible engineering. Incorporated in this bidet are the standard features such as heated water, heated seat and heated drier. It also includes some more advanced features such as the One Touch Button, the narrow, medium and wide spray adjustable options and the Air+ button that enables a gentler yet more effective wash. Integrated into this bidet are 2 separate nozzles, one for the rear wash and one for the front wash, to reduce the risk of cross contamination.

This bidet has an extra-large, anti-shock, water resistant remote control featuring an LCD display and braille buttons. It can be hand held, mounted on either side of the bidet, on the wall in the Coway provided wall holder or can be used in an additional Bidet Shop One Touch Button Tamper Proof Holder.

This bidet may be more beneficial than other bidets for individuals that have Dementia, Alzheimer's, Parkinsons, Multiple Sclerosis (MS), Limited Mobility, Arthritis, Motor Neuron Disease, or may be an Amputee, Visually Impaired or Cognitively Impaired.

We also offer a service of providing a coloured seat for those that may have dementia or Alzheimer's and have difficulty differentiating colours, please contact us for more information.

NOTE: In order for this bidet to be installed, there must be access to the seat bolts from underneath the toilet

NOTE: When looking at the bidet/ toilet, the 1.5m power lead comes from the RHS and the water pipe comes from the LHS - THIS CANNOT BE CHANGED

### **Features**

Features	Description		
Additional Features			
Remote Control	emote Control  Extra-large, anti-shock, water resistant remote control which also include LCD display and braille buttons. It can be hand held, mounted on either of the bidet, on the wall in the Coway provided wall holder or can be use an additional Bidet Shop One Touch Button Tamper Proof Holder		
Mini Side Control	Puts some functions in a mini pad on the side of the seat - Power, Rear Was & Nozzle Cleansing		
Massage/Move	Massage/Move  Moves the nozzle forward and backward in a rhythmic action for a mother thorough cleansing and stimulating wash.		
Enema	A pencil thin stream of soft aerated water is ideal for constipation. Use while trying to pass a bowel movement for the best results.		
Narrow, Medium & Wide Spray	This wide button changes the width of the spray pattern from a narrow to medium or wide spray, similar to your garden hose.		
One Touch Button "Auto Cleanse"	Exclusive! 1 minute wash and 2 minute dry cycle by pressing one button.		
Air +	Air bubbles are injected into the water stream to create a soft, gentler feel, all the while giving a 40% better wash.		
Standard Features			
Heated Dryer	Blows warm air to gently dry you after a wash and offers 3 temperature settings.		
Heated Seat	When sitting on the seat it will warm up to the desired temperature and offers 4 different temperature options (no heat + 3 heat settings).		
Heated Water	Cleanses with warm water and offers 4 temperature settings (no heat + 3 heat settings) and 4 water pressure settings.		
Rear Cleansing	This function is for washing the bottom area only.		
Feminine Cleanse	This feature is exclusively for women, to use for their vaginal area.		
Fast Heating	When a user activates the seat sensor the water begins to warm up. When the user presses a wash button the water is at the desired temperature before entering the nozzles. If the user is using a commode chair or other accessory, the water will heat when the power or wash button is selected.		
Nozzles	Nozzles  This bidet comes with Twin Plastic Nozzles - The Rear/Enema & Feminine wash nozzles (RFE) are separated to enhance hygiene and reduce the risk coross contamination.		
Nozzle Position Adjust	The nozzle is adjustable to 5 different positions and should be adjusted to the correct position for washing.		
Self Cleansing Nozzles	Before and after each use of the nozzle, they automatically clean themselves to avoid cross contamination. There is also an additional manual button if they require additional cleaning.		

Seat Sensor	The BA08's Seat sensor as standard is partially turned off in the manufacturing process to enable the bidet to wash without the need for a user to be sitting on it, e.g. if the user uses a commode chair. If turned back on, the moisture activated seat sensor ensures that the bidet functions can not be activated unless the seat is occupied. The seat sensor is located between 3 & 5 o'clock on the toilet seat.	
Soft Close Seat & Lid	Hydraulic dampers installed at the hinges allow the seat and lid to close softly.	
Anti-Bacterial Plastic	The Bidet is made with antibacterial plastic to ensure the highest degree of hygiene & cleanliness.	
Power Saving	The Bidet senses when it is not occupied and will automatically go into "power save mode". This function can be turned off and on.	
Water Saving	An average wash uses about a tea cup or two of water.	

### Requirements

You must ensure that you have a tap on the wall, a powerpoint within 1.5 metres of the toilet, access to seat bolts & a plumber to complete your installation.

For this bidet you **MUST** have access to the seat bolts from underneath your toilet to attach it. Unlike other bidets it doesn't have a detached plate that the bidet slots into. This bidet's plate is attached to the underside of the bidet and is bolted directly onto the toilet.

NOTE: You will need to know if your tap is located on the LHS, RHS or in your cistern when looking at your toilet. You will also need to know if you have access to the seat bolts. This knowledge is required as extra accessories for installation may need to be purchased.

Additional products that may be required:


- If TAP is on RHS 1m of 1/4" White Pipe and 1x Elbow Kit is required
- If TAP is in the Cistern 1/2" Internal Fitting Kit and 1x Elbow Kit is required
- If installed with arms/rails & 80mm spacer Extension Brackets are required

#### Sizing


### Measurements required in order for a bidet to fit onto your toilet

BA08 Regular Seat	BA08 Elongated Seat
A = 500mm or above	A = 520 or above
B = Between 140 – 210mm	B = Between 140 – 210mm
C = 330mm or above	C = 340mm or above
D = 420mm or above	D = 440mm or above


### Measurements of bidet seat



#### Remote



### **BOX CONTENT**



### **Specifications**

Product name		Coway Bidet
Model name		BA08-AR/AE
Power rating		220 V - 240 V∼ 50 Hz, 60 Hz
Power consumption		850 W
Water pressure		0.11 MPa - 0.68 MPa
Product dimensions	BA08-AR	525 mm (W) X 500 mm (D) X 142 mm (H)
	BA08-AE	525 mm (W) X 530 mm (D) X 142 mm (H)
		5.7 kg - 6.3 kg
Warm water cleansing device	Rear cleansing	Maximum 0.7 L/min, automatic nozzle cleaning function
	Front cleansing	Maximum 0.7 L/min, automatic nozzle cleaning function
	Timing	Rear cleansing 1 min, Front cleansing 1 min
	Water pressure control	Micom control, 3 level control
	Wide (spray range control)	3 level spray range control(straight-level 1-level 2)
	Air+	Air mixed water type
	Warm water temperature adjustment	4 levels (off: tap water temperature, low: 33 °C, medium: 36 °C, high: 39 °C)
Ī	Power consumption of cistern heater	800 W
	Cistern capacity	1L
	Safety device	Bi-metal, temperature sensor, temperature fuse(overheating prevention)
	Warm air temperature control	3 levels
Warm air dryer	Timing	Air dryer 2 min
	Power consumption of dryer heater	180 W
	Safety device	Bimetal, temperature fuse(overheating prevention)
Warm seat	Seat temperature control (after seating)	4 levels (off : room temperature, low : 34 °C, medium : 37 °C, high : 40 °C)
	Power consumption of dryer heater	50 W
	Safety device	Temperature sensor, temperature fuse(overheating prevention)
MF filter	Life span	4 months (2.5 ton/month, impurity rate : under 0.5 NTU)
	Dimension	(L) 136 mm × (Ø) 48 mm
Accessories	Installation materials	T-Shaped connector, Rubber packing, Bidet holse, 2 Fixing screws, 2 Fixing rubbers, 2 Fixing washers, 2 Fixing nuts, 2 Fixing sliders, MF filter, Filter fixed stopper, Filter clip, 3 Screws, 3 Anchors, Fixed screw(⊘6), Remote control wall hanging, Fixer hand grip, 2 Batteries(AA size)
Other function		Nozzle position adjustment, Move, Nozzle cleaning, Silent mode, Seat sensor lock, Bidet/remote control power saving mode, Remote control, Auto cleansing function

### Installation

A licensed plumber must install this retro-fit bidet in accordance with the Plumbing Code of Australia (PCA) and WMTS 051:2016 Bidet Douche Seats.

### Warranty

2 year Limited Warranty (1 Year Standard Manufacturer's Warranty + 1 Year Complimentary Parts & Labour Warranty) Extended Warranty Available for Purchase

The Coway Range is compliant with AS 2845.2:1996 Clause 4.2 Minimum Air Gap +Logos+

All products must be installed by a licensed plumber in accordance with WMTS 051:2016 Bidet Douche Seat.

Extension Brackets
Elbow Kit
½" Internal Fitting Kit
¼" White Pipe
3 Way Control
Tamper Proof Holder